

1. Which one appears on tooth first?

- a. materia alba
- b. Pellicle
- c. bacterial biofilm

2. Montelukast for asthma. MOA? Leukotriene receptor antagonist (LTRAs) are preventer tablets, not steroids, for children under 5, by blocking leukotrienes stop the inflammation and swelling.

3. which one in wax try in for complete denture?

- a. Facebow record
- b. Esthetic

4. Deepest part of occlusal rest for RPD

- a. Central fossa
- b. marginal ridge is the ans
- c. Lingual wall
- d. Facial wall

5. what is Hazard communication?

- a) to protect office staffs from panoramic X-ray
- b) to protect patients and staffs from chemical material is the ans
- c) some other options

6. which one related to hazard communication ..?

- a. EPA
- b. OSHO ans

6. FDA is conducting a clinical trial about a new drug on animals and human. What is the phase 3 of this study?

- a. to see if the drug is cancerous on animal or not
- b. to find the effective dose of the drug group said b

c. to find the MOA of drug

d. ....--> there was another option which I think it was the correct answer but I don't remember it

7. which one not effective in early childhood caries

a) Bottle of water+ fluoride

b) Bottle of water is the ans

c) Juice

d) Mother breast milk

8. 9 years old baby, fever for 3 days, vesicle in oral mucosa, lymphadenopathy?

a) Cat scratch fever

b) Infectious mononucleosis

c) Aphthous

9. macroglossia not seen

a. Amyloidosis

b. Hyperparathyroidism(group answered)

c. Hyperthyroid is the ans

d. One other don't remember

10. early primary teeth lost

a. papillon- lefevre syndrome T (autosomal recessive, deficiency in cathepsin C, primary teeth lost by 4 years old, permanent teeth lost by 14 years old)

11. first sign of multiple melanoma? I chose bone pain

12. the relationship between Treacher Collin and zygoma is the same as clidocranial dysplasia and .....

a. cranial

b. clavicle

13. phleboliths in?

a. sinus

b. vein is the ans

c. salivary gland

14. main feature of cherubism

a. bilateral jaw expansion is the ans

b. multiple radiopacity

a. c elevates acid phosphatase

15. most common in mandibule premolar region

a. CCOT

a. OKC

b. OM

c. fibrous dysplasia

d. lateral periodontal cyst is the ans

16. submandibular space drainage through which muscle

a. platysma

b. masseter is the ans

c. median pterygoid

17. which oral pigmented lesion resolve spontaneously?

a. varix

b. freckle

c. melanotic macule

18. how many percent have access to fl community water?

a. 90

b. 20

c. 40

d. 80 is the ans

19. MOA of sulfanamide ?

20. MOA of sulfonylurea ?

21. which one is class 2?

- a. Vicodin
- b. Percocet is the ans

22. INR

- a. intrinsic pathway
- b. extrinsic pathway ans
- c. prothrombin

23. which is correct about conjugation?

- a. adding a molecule to the drug ans
- b. making the drug more lipid soluble
- c. increase in the effect of drug

24. which of these cognitive behavior decrease in a normal process of aging?

- a. learning I think is ans
- b. attention
- c. reaction time

25. side effect of nitroglycerine

- a. nausea, headache is the ans
- b. lightheadness, respiratory depression

26. which one does not show the dispersing of data

- a. variance
- b. median is the ans
- c. standard error

27. DMF shows?

- a. caries is the ans
- b. oral hygiene

28. fail-safe mechanism part of NO machine does not let the increase of NO flow by what percent

- a. a.20
- b. b.50
- c. c.70 ans
- d. d.90

29. Pappos board **isn't used** in which situation

- a. quadrant .... Treatment of a 14 years old cooperative patient

30. most frequent post extraction complication in maxillary tooth

- a. hemorrhage
- b. alveolar ridge fracture is the
- c. sinus perforationans
- d. infection

31. most frequent post extraction complication in mandible tooth

- a) hemorrhage
- b) infection
- c) dry socket is the ans

32.where do progenitor cells for new attachment come from?

- a) alveolar ridge
- b) pdl is the ans
- c) cementum
- d) connective tissue of gingiva

33.maximum dose of lidocaine allowed in 4 years old child 16kg

- a) 115

b) 74 is the ans

c) 53

34. which one is correct about pseudomonas colitis

a) bcs of narrow spectrum AB

b) bcs of clostridium difficile

35. cleft lip/palatal in Caucasian?

a) 1100

b) b.700 is the ans

35. primary principle of behavior modification

a) stimulus cause behavior

b) behavior has consequences

36. patient manifests sudden bizarre behavior. What will make her feel better?

a) epinephrine ans

b) glucose

c) insulin

37. most common salivary gland benign tumor? Pleomorphic adenoma

38. less reoccurrence?

a) Ameloblastoma

b) AOT

c) C. OM

d) one other option don't remember

39.4 Q about periapical cemento osseous dysplasia

40pt has a chipped veneer, doesn't want to remove it. How to fix it?

a. Pumice, acid etch, resin bond, silane

b. Sandblast, resin bond, silane

c. Micro-etch, acid-etch, silane, resin bond ans

41. what does bimaxillary protrusion mean? A Protrusive dentoalveolar position of maxillary and mandibular arches that produces a convex facial profile.

42. If the maxillary incisors are placed too far superior and anterior, what is affected?

- a. S
- b. D
- c. J
- d. F

43. pt doesn't have upper 3rd molars. How many forcation do we have in upper jaw?

- a. 12
- b. 14
- c. 8 is the ans now if 6 is in there is 6

44. retentive clasp fracture?

- a. Work hardening is the ans
- b. Crystal formation in clasp
- c. Low modulus of elasticity
- d. High elongation

45. mild wear facet in primary dentition?

- a. No treatment needed
- b. It is bcs of parafunction

46. most amount of bone graft from?

- a. Ramus
- b. Rib
- c. Iliac is the ans

47. which one has least effect on DURATION of local anesthesia

- a. Systemic absorption of drug is the ans

b. Bind to protein in tissue

48. PKa of local anesthesia has effect on

a. Potency

b. Duration

c. rate of onset (Pka is onset and protein binding is duration....lipid solubility is potency)

49. premedication? (it was not based on latest AB prophylaxis )

a. Congenital Heart murmur

b. Cardiac stent

c. Knee replacement

50. which one is correct about automated external defibrillator (AED)

a. contraindicated in pt less than 12 years old

b. charges whenever there is need for that group said b

51. which one has the least desirable physical properties for a complete denture

a. microwave activated resin

b. chemically activated resin is b

c. heat activated resin

d. light activated resin

52. in an appointment for discussing and revealing the result of a BCC lesion biopsy, patient says " doctor, tell me straight, do I have a cancer, or not?" what dr should tell him?

a. Do you want me to call a friend or family member to come and be with you?

b. Actually this lesion has a better prognosis in comparison to the other lesions

c. Nowadays, chemotherapy has less side effects

d. One stupid, non-related option

53. most common crown root fractured tooth

a. Maxillary anterior ans

b. Mandibular molar



c. 2 other option I don't remember (there might be mandibular PM, don't know, but I answered a)

54. the level of a normal alveolar bone crest in a X-ray can be an indication of

- a. Level of CEJ
- b. Level of epithelial attachment
- c. Apical trabecular bone

55. what do you see in pathology of osteoporosis

- a. Thin trabecula ans
- b. Decreased calcification of osteoid

56. which one is the disadvantage of composite

- a. Low thermal coefficient is the ans
- b. High radiopacity
- c. High opalescence
- d. One other option I don't remember

57. when a patient who is frighten by endo surgery says by herself "I am strong and I can handle this situation" what does happen?

- a) She became distracted bcs she concentrates on controlling her stress
- b) She manages her stress level (or something like this) because she activates her Self-reliance. (option might be written in other ways, but it was related to Self-reliance and I chose this one)
- c) Other 2 options were unrelated

58. analog in open tray

59. what oil do in X-ray machine

60. retention form in cl 5 composite? Groove where

61. class 6 composite restoration, too light, what to do ? there was not bleach other tooth options

- a. Add composite level
- b. Add composite tint
- c. Remove and restore again

62. high caries risk pt, has anterior composite restoration with marginal discoloration. What to do?

- a) Change the whole restoration
- b) Change 1 mm marginal composite only is the ans
- c) Bleach composite

63. what is not the advantage of LED light cure in comparison to halogen

- a) Life time
- b) Weight
- c) Curing depth

64. distance btw film and midsagittal plan in cephalometry

- a) 15cm
- b) 60cm
- c) 6 feet is the ans
- d) 9 feet

65. pneumbra

66. how much bone around implant

67 how much granulocyte in blood to do elective surgery?

- a) 1000
- b) 100,000
- c) 15,000

68. first manifestation in HIV

- a) Hairy tongue
- b) Multiple opportunistic...
- c) Don't remember other options

69. to be able to burnish a margin of a gold restoration which one should be exceed?

- a) Modulus of elasticity

b) Yield strength

70. what impression material has a natural affinity to water? (no hydrochloride in options)

a) Polyether

b) Additional silicon

c) Condensing silicon

d) Poly sulfide

71. Most stable in moisture environment.

a) Polysulfide,

b) condensation silicones,

c) addition silicones,

d) polyether

72. which one is correct about self-threaded pin?

Should be placed on flat surface

73. which one has the most possibility of getting ORN

a) Receiving radiation therapy 42.5 GY

b) Bisphosphonates

(both were among the options!!)

74. patient has history of Bisphosphonates medication. Now need an extraction. What should we do?  
(no hyperbaric o2 in the options)

a) Refer to oral surgeon

b) Do extraction

c) Say cannot extract the tooth

75. what is seen in cellulite

a) Lymphocytosis ans

b) Lymphopenia

c) Neutropenia

76. which one is correct about down syndrome

- a) Affectionate ans
- b) Cannot learn oral hygiene
- c) Severe developmental problem
- d) Not cooperative on dental chair

77. which one correct about autism

- a) Has repeated questionans
- b) Good communication

78. which one has more learning problem

- a) Boys
- b) Girls
- c) Same
- d) No specific study about it

79. rubber dam placement in a class 5 which extends to the root surface. Hole should be

- a) Larger than normal
- b) Smaller
- c) More lingually
- d) More buccally is the ans

80. suprenumary teeth which stage?

81. 4 years old kid, trauma to primary incisor, 5 mm intruded. What to do

- a) Let it erupt by itself
- b) Extract to not to interfere with the eruption of permanent tooth ans
- c) Reposition and splint

82. treatment for concussion in primary teeth? I said no treatment

83. moisture contamination in amalgam

- a) Increases delayed expansion which is a good thing and increases marginal seal
- b) Something related to amalgam strength

Recently rqs 04 /11/17

1. What teeth most likely to have crown /root fracture = max anterior
2. Which tooth is least like to fracture =mand 2 premolar
3. Where you can find the supernumerary tooth = max anterior
4. What age is proliferation = 8 weeks
5. Primary central incisor erupt = 5- 6 month was in the option .
6. Bur for porcelain occlusal adjustment =diamond
7. Which primary tooth s most like any other tooth in the dentition = primary mand 1 molar
8. Which of the following clinical sign is not characteristic of opioid= dilated pulpitis
9. Which isnot an advantage of no ni-ti over stainless steel file = resistance of fracture
10. What is the shape of access of mandibular 1 molar
11. Differential diagnosis of periodontal abscess and periradicular abscess =vitality test
12. Lateral periodontal abscess is best differentiated from the acute apical abscess by = pulp test
13. What will not regenerate after rct =dentin formation
14. 3 partner dentist and hygienist hurts patient who involved in a low suit = only dentist supervising dentist and hygienist
15. How long after extraction you insert the complete denture = 8 weeks
16. Which one is more affect in male = hemophilia
17. Where does the epithelial for a graft come from =donor connective tissue
18. Kidney dialysis when is appropriate to put the dental appointment = day after dialysis
19. Tooth extraction,3 days later starts to hemorrhage what is the cause =fibrinolysis

20. Periodontal regeneration involves = Sharpey's fibers, cementum and alveolar bone
21. Which is a periodontal bacteria = staphylococcus was the ans
22. Most common cause to cause mobility is trauma
23. Why the clap break in dental appointment while you are adjusting the denture = I think it too much pressure (verify look in dd)
24. What cause less allergy = chrome
25. The space difference between primary canine, second molar and the succedaneous teeth is called = leeway space
26. Lefort 1 is maxillary sinus
27. Where does the epithelial for graft come from after you place it and it is healing = recipient epithelium of donor
28. What is the treatment for dry socket = sedative and dressing
29. What cause pregnant women to syncope = pressure on inferior vena cava
30. Vicodin schedule = acetaminophen and hydrocortisone
31. Best area to place implant = anterior mandible
32. Best angle to place curette roots = 45-90
33. Triad of cleft palate, glossoptosis and absent gag reflex is Pierre Robin syndrome
34. What can't the patient not say if upper anterior are too superior and forward for denture = f and v sound

35. pt has worn denture for 19 years, now he has a sore on buccal with swelling what do u do = relieve denture in area and re-evaluate in 2 weeks

36. would relieve a mand denture in the area of the buccal frenum to allow which muscle to function properly? orbicularis oris

37 what prevent corrosion on a noble metal? chromium

38 central giant cell granuloma is seen with pts with condition of /? Hyperparathyroidism

39 see caries on xray .

40 .xray about intermaxillary suture

41 Café-Au-Lait – Neurofibromatosis

42 burning sensation on tongue,, moves around: geographic tongue ( learn the definition very well)

43 Football player with mouthguard, crepitation of left TMJ, trigger zone tenderness L temporalis, stiffness upon wakening: Myofascial pain syndrome

44. What has the highest recurrence rate? Odontogenic keratocyst(okc)

45 xray of jaw fracture

- 46 .pano of zxygomatic process of the maxilla .same xray found in dd
- 47 If you have lesion of maxillary sinus, what kind of radiograph do you take? 1. Waters
- 48.sialilitithiasis is found whew = warton duct (submandibular duct was as an oprtion )
- 49 3 factor that affect caries initiation ? substrate ,bacteria, hot susceptibility
- 50 .most common area for caries intiacion ? pit and fissure
51. dmf index =measure how permanent dentition is affect by caries
- 52 245 carbide burd and 330 carbide what is the different = length distance
- 53 more blades on carbide bur is less efficient and smother surface
- 54 Proximal resistance form of amalgam restauration comes from what ? retention grooves in axiobuccal/axiolingual walls.
- 55 most comun complication of extraction is ? root fracture
- 56 the base of the incision in the gingivectomy technique is located ? above the mucogingival junction
- 57.which one is true about implant ?high torque and slow speed
- 58 .where perio tx is more difficult ?maxillary molar
- 59.what is most accurate pulpal test to determine vitally of a tooth with a full gold crown ? thermal test
- 60 .most common salivary glan being major and minor is ? pleomorphic granuloma
- 61 ectodermal dysplasia is hereditary . it is not not xlined
- 62 what percentage of us population on public water supplies lives in fluoridated community ? 74 %
- 63 All of the following are hereditary except...vip
- a. dentinal dysplasia
  - b. amelogenesis imperfecta
  - c. ectodermal dysplasia
  - d. regional odontodysplasia is the ans
- 64 . What does hypodontia affect the most is growth of the alveolar bone
- 65 . blue mass under tongue is Ranula
- 66Trauma to floor of mouth is Ranula

67. which reabsorption is seen in primary teeth ? External root reabsorption

68. why is there more color stability in light cure ? tegma

69. X-Ray: Black women, middle aged , anterior radiolucency (can be radio opaque): cemento osseous dysplasia, periapical cemental dysplasia

70. Most common place for periapical cemental dysplasia : Lower anteriors

71. very well defined round radiolucency in panoramic, posterior mandible below inferior alveolar canal – ☐ static bone cyst (stafne defect) see xray in google

72. first sign of multiple myeloma: bone pain

73 what is the oil in the x ray tube for : dissipate the heat

74. Max radiation dose: 50 msv or 5 rem per year

77. Collimation does everything except:

reduce pt exposure,

reduce operator exposure,

film fog,

reduce average energy of xrays (energy is unchanged) is the ans

78. amalgam failure main reason? Cavity preparation

79. chronic periodontal is most common in ? black people

80. what is the correct method of excavation of deep caries . long bur from periphery to the center

81. Nitrous oxide is contraindicated in asthma patients . can u put nitrous oxide in anxiety patient .

First is false and second is true

82. Acute perio abscesses that require drainage are usually?

1- firm localized lesion

2- fluctuant localized lesion is the ans

3- firm generalized lesion

83. Patient who has medical history but is not debilitating but will require medical management and dental modifications –

1-ASA 3



2- ASA2

84. Failure in morphodifferentiation results in .

a. size and shape abnormality ,b. peg lateral ,c. macrodontia d. All is the ans

85. 7- yr old boy has vital exposure of tooth 1st perm max molar. What do you do for treatment.

**Pulpotomy**

86. Asked what I should have him do about quitting??? They were like multiple things like acupuncture, counseling, smoking cessation drugs and some drug with the letter b or d I put that but I have no clue I put counseling

87. What is it called when a patient charges several procedures instead of one?

a. upcoding

b. downcoding

**c. unbundling**

d. bundling

88. Pt. says, "I do not have time to quit smoking." What stage is s/he in? A: Precontemplation\*,

89. What test coumadin? INr

90. The most prominent psychiatric issue for old people?

1- Dementia

**2- Depression**

3- both

100. What happens with horizontal angulation ..contact overlap revise in dd .

101. Class 5 lesion glass isomer; bevel both gingival and occlusal lines =Occlusal - No bevel

Gingival - Bevel if on enamel/ No bevel if on cementum (root)

102. What does the hypobaric chamber help with I put angiogenesis? New formation of collagen as well as capillary angiogenesis in areas that were resistant to neovascularization - in both acute and chronic injuries. Regenerating skin cells also function more effectively in a high-oxygen environment. (hyperbaric oxygen procedure)

103. Erosion on lingual it's due to bulimia is true

104. Which drug gives tardive dyskinesia is phenothiazines
105. What condition of the tongue involves the foliate papilla is median rhomboid glossitis
106. Diabetic patient before procedure what to do check HbA1C lvl is true
107. Vertical root fracture do not endo
108. What isn't in tooth paste like type of fluoride ? for me is apf verify in dd or denpin
109. cheft lip in usa =1.700
110. reverse town xray for condyle
111. time for surgical hand washing is 3 min
112. a patient has a firm nodule underneath the denture what is it =traumatic neuroma
113. During maintenance therapy pt has recurrent 6mm pocket on M of #4 and D of #20 what is 1st tx option: flap surgery,
114. which of the following has a higher chance of  
amelogenesis imperfecta dentinogenesis imperfecta dentin dysplasia
115. 20. Treatment sequence: emergency, disease control, reevaluation, definitive care, maintenance
116. a. Company offers dental insurance to its employees that can go to selected dentist, what is this example of? Closed panel
117. Order of bleaching and veneering process: bleach, wait 2 weeks, prep tooth, cement
118. What is most common periodontitis in school-aged children:, marginal gingivitis
119. Best for interproximal plaque removal in teeth without contacts: interproximal brush
120. Location apical position flap contraindicated: max palatal
121. what type of bone with best quality and most suitable for retention of implant ? dd said d1
122. which primary tooth is not like any other tooth in the dentition .mand I molar
123. which is false about naoil it is a chelating agent
124. pt comes back few months after rct and crown with pain upon biting what happened .=  
crack tooth
125. crown cement two weeks ago is sensitive to pressure and cold why ? occlusal trauma

126. how long before should you stop baby aspirin before surgery?

not necessary to stop it

127. What is not true regarding patient with diabetes and perio: .increase gran negative in crevicular fluid

128. The face-bow is used to record= relation of the maxilla to the temporomandibular joint.

129. black male with erosive lips, erythematous and blisters on his lips, the description says that he also have palmar and planta erosion and blisters, what is this syndrome?

erythema multiform

130A major difference between light cured and chemical cured composite is that during setting or in function the light cure material tends to: shrinks rapidly.

131. When there is no barrier, protection of dentist. 6 feet; 90-135 degrees

132. Shape of access opening for mand.molar with 4 canals. ANS.Trapezoidal

133. Pt shows reaction to the LA vasoconstrictor so to recover the reactions u will administer:

Alpha 1 antagonist

134 Which of the following is not good for use in taking impression of a cast restoration – irreversible hydrocolloid

135. Which of the following drugs is most effective as an antidepressant?

a. Diazepam

b. Reserpine

c. Amitriptyline

136. Tricyclic antidepressants have a prominent side effect that most nearly resembles the usual pharmacological action of

a. Codeine

b. Atropine ans

c. Ephedrine

137. According to the theory that agonists and antagonists occupy the same receptor site, an effective antagonist should exhibit

a. High intrinsic activity and high affinity

b. Low intrinsic activity and low affinity

c. High intrinsic activity and low affinity

d. No intrinsic activity and high affinity ans

138 Which of the following drugs has its primary use in the treatment of the manic phase of depressive psychosis?

a. Lithium ans

b. Reserpine

c. Imipramine

139 Gastric acid secretion has been shown to be most effectively reduced with the use of

d. H1-histamine receptor antagonists

e. H2-histamine receptor antagonists ans

140 Which of the following drugs is often used to treat trigeminal neuralgia? carbamazepine

141. The highest risk associated with use of oral contraceptives is thromboembolic disorder

142. the various insulin preparations useful in the treatment of diabetes mellitus differ primarily in onset and duration of action

143 pic of amelogenesis imperfecta

144. Referred pain to EAR IS MANDIBULAR MOLAR

145. The maximum amount of nitrous on the machine safety hinge is 70%

146.: Anterior permanent tooth most commonly erupts in cross-bite? Max laterals

147: what kind of appliance for posterior cross bite and when? Quad HELIX

148: Most common cause of anterio crossbite: , lack of interdental arch

149 What occlusion when MB cusp of max 1st molar is distal to buccal groove of mand 1st molar Class ii

150: Diatalized occlusion w/ upright cental anterior and deep bite: class II div II

151: Most common type of occlusion in primary teeth: flush terminal plane

152 .face is vertically divide in= 3 planes

153 force of mand premolar = 151

154A patient has pain in her mandibular right 3rd molar and cannot take intra oral x-ray. Which of the following would you recommend?

- A) Lateral oblique is the ans
- B) Reverse town
- C) Anterior posterior
- D) Lateral ceph

155If a patient has crown restoration and you need to type a fluoride for her to use it a home what kind of fluoride you will type.

- a) sodium fluoride is the ans
- b) stannous
- c) acidulated

156 Non-maleficence means

- a) don't harm is the ans
- b) do good
- c) truth

157. Day 2 case she has 8 years and cross bite , he asked why she had the cross bite due to early missing of

- A) primary canine group said a
- b) primary first molar
- c) primary second molar
- d) primary incisor

158. When you let the patient to sign the informed consent that's called

- a) autonomy is the ans .
- b) veracity
- c) non maleficence
- d) beneficence

157. He gave me numbers for True positive = 81 true negative = X and false Negative = X and false positive equal number X And he asked me what is the number for the people that will have a disease or wherever, so I used the equation  $TP / (TP + FN)$ . true I don't understand that .

158.) When you punch the rubber dam in molar teeth there was a leakage or as I remember above the high of contour that's due to

A) to close is the ans

b) too far apart

159.If you have two distribution that are asymmetrical that's means

a) normal

B) skewed is the ans

c) bimodal

160 . Dentist treat patient without consent form. What it is called

A. Non maleficence

Battery is the ans

C. Assault

161.When we take a pano for a patient his lower teeth appear elongated and wide what was the error

a) chin too far back is the ans

b) far forward

c) high

d) close

162 .What make the reaction on the one that has monomer and activator that was using it for prepaing the secondary impression on the study cast on the lap . its activated by

A) exothermic reaction group said that is the ans I need to check

b) MMA with the monomer

163.Community periodontal index use for some researcher they should contact

a) Scip

B) HRRSA

c) CPITN is the ans

164 If the patient has maxillary protrusion and we need to pull the maxillary backward which we will

Use I think is a I need to check this ans

a) straight pull gear

b) cervical bull gear

c) face bow

d) reverse bull gear

165 During xray you find a tooth with RCT it was asymptomatic and the obturation material beyond the apex what you will do

a) leave it and watch is the ans

b) apicotomy

c) redo the RCT

166 If you during extraction of the lower third molar the root tip displaced where will be the common place to displace on submandibular

166. When the patient open his mouth to the maximum intercausal position 5-7 you will here a clicking noise and before he will full closure of the condyle you will hear a second voice what do you think the cause of the second notice

a) the disc displaced anteriorly ans

b) the disc displaced posteriorly

167. Gingsing you can use it with all of the following except one which is the exception ? it was the aspirin the exception !

168 Numbness on the right lower molar area what do you think trauma was

A) angle I think is a

b) symphysis

c) condyle

d) coronoid

169. What is not practical to be done by dentist regarding increasing the fee when

a) pt is difficult

b) increase the fee six month without notice to the patient is the ans

170. patient when he open his mouth its deviate away it could be due to

a) condylar hyperplasia is the ans

b) ankyloses

180. this question came twice in my exam with same info and everything !! for the FDA to approve a new drug to be in the market they have to do some test to make sure from its effectiveness thats by

a) case history

B) cross sectional study

C) randomized clinical trials is the ans

D) case control study

181 Most prevalence number of wall defect

a) 1 wall

B) 2 wall group said this one I need to check in dd

C) 3 wall

D) Combination |

182. asymptomatic pigmented lesion on the palate 4mmx3mm what you will do for it ?

A) cone beam and excisional biopsy

b) cone beam and excisional and antibiotic treatment

C) no treatment is the ans

183. whats the heart rate for a child 3 years I believe ?



a) 60

b) 80

c) 110 is the ans

184. the most prevalence type 2 diabetes will be in

a) black

b) native American

c) Hispanic

d) Asian

185 Case in day 2 ANB angle is 5.8 and he in the clinical picture have cross bite anterior what will be skeletal class ?

a) I

b) II is the ans

c) III

186 .If the above patient have SNB 81 what will he have

a) mandibular prognathism

b) maxillary proгна..

c) maxillary retro

d) mandibular anterior teeth and he was asking about Radio lucent

187 I got another picture PA of between the trabecula of the bone close to the apex of the teeth

a) nutrient canal is the ans

b) genic tubercle

c) mental foramen

d) mandibular retro

Patient 3 years old came to your office and his central incisor had a trauma make it intruded and

188. all the associated tissue was firm what will be the best treatment

- a) extraction
- b) no treatment just watch it is the ans
- c) splinting the teeth
- d) splinting the teeth with ortho treatment

189. What is Contraindicated for RCT

- a) horizontal fracture
- b) biophosonate
- c) vertical fracture
- d) chipped the inscial of the crown

190 .Patient stand on the corner looking at the floor and his hand is folded together after you give his and introducation what you ask him or do next ?

- a) whats bring you here today is the ans
- b) why are you angry
- c) is my assistant didn't tell you to have a seat
- d) is there anything annoy you ?

200.Patient who are having hearing problem what you will do

- a) take to the interpretation and discuss everything with him
- b) you will try to talk to the patient as he can understand your mouth movement easily is the ans

201. Which of these is carcinoma in citu

- a) erthyroplakisis the ans
- b) leukoplakiac) lichen planus
- d) white spongy nevus

202 Whats the most common in the new year increase in a) root surface caries was the answer

201. ANUG will be spread to all of these spaces except one ?

- a) submandibular

b) submental

c) Sublingal

d) larygois the ans

202 .If patient Case day 2 taking atenolol do you think it will be least effect on Epinephrine than non selective beta blocker ? true

201 Hepatitis A positive can checked by

a) HBcg

b) HBSg group said b I need to check in dd or google

c) no treatment

d) alkaline triphostate ( it was an enzyme )

202 Each of the following devices are effective in removing surface plaque EXCEPT one. Which is the EXCEPTION?

A. Toothpick

B. Super-soft toothbrush

C. Home water-irrigating device (Water Pik®)is the ans

D. Dental floss

203 which tooth is least likely to be missing ? canine

204 trigeminal neuralgia which side .right side involve

205the most permanet sychiatric probeln for people is depression

206 Which is a characteristic of a gold inlay? A: Axial walls converge toward the pulpal floor

207. Best way to look at alveolar bone loss – bitewing

208 Most commonly accepted theory of dentinal sensitivity? A: Hydrodynamic theory

209. 2 yo kid has 12 cavities on primary teeth, what you going to do =, general anesthesia,

210. By having excess amount of monomer in acrylic can create excessive amounts of what: shrinkage

211.What is the acid in glass ionomer?

Phosphoric acid,

Polyacrylic acid- is the ans

212 Posterior composite failure mostly due to – shrinkage

213 Patient has an all veneer on incisal edge, small piece of porcelain came off and wants you to fix the chip only, what is the sequence of events: microethc, etch, silanate, and bonding agent

214 Class III, what kind of surgery?

1-rapid palatal expansion

2- le forts 1

3- BSSO is the ans

4- two and three

5- ALL

215 For a surgical extraction, what does not contribute to developing post-operative pain?

o High-speed drill,

2. Low speed low torque drill,

3. Sharp burs,

4. High-speed drill with water spray ANS

216 Vasoconstriction acts directly on what?

potency

duration is the ans

systemic absorption ,

Bilirubin

Crenicitus

217. WHICH is not ethical to charge more?

A) difficult pt is the ans

B) with notice every 1 year

C) for pt with specific type of benefit

218. what material do you use when you are going to restore a class V lesion that extends to the root ?

- a) composite
- B) amal
- c) RMGI is the ans

219. After brushing how long until forming mature plaque reappears?

- a) 1-2hrs
- b) 6-8
- c) , 24-36 hrs ( 24-48 was not an option

220. survival of a graft depends?

- A) on the CT of the recipient is the ans
- B) granulation something

221. Generalized max denture soreness on the ridge? when pt came for adjustment

- a) Candida,
- b) allergy,
- c) increased occlusion is the ans
- d) expended DB ridge

222. which one has the worst polymerization shrinkage

- a) class 1 is the ans
- B) class 2
- c) mod class 2
- d) class 4

223. Most neoplasms in what glands?

- a) Parotid is the ans
- b) minor
- c) subman

d) subling

224 chronic perio, found what cells?

T cell is the ans

plasma cell

225. Aspirin will inhibit the platelet aggregation by inhibit?

a) phospholipase A2...ans

. b) thromboxane

226 all is true about Periapical Cemental Dysplasia except

A) black female

B) anterior mandible

C) older than 40

D) anterior max is the ans

227. dementia pt, which one the most challenging?

1-ext

2-denture is the ans

3-srp

4-amalgam

228 .If you have 2 proximal cavities

a) you will fill smaller, prepare larger first ans

b) you will fill larger and prepare the smaller first

C) you will fill smaller and prepare the smaller first

d) you will fill the larger and prepare the larger first

229 pin retained - Which statement is not correct? increasing in number of pin strengthen amalgam

230 Best biopsy for small bean sized white lesion?

a) Incisional

b) excisional is the ans

c) brush

231. how many canals does 1st max molar has

A) MB ML P

B) MB1 MB2 ML P is the ans

C) ML1 ML2 MB

232. Anug without systemic manifestation pt, what do u do?

A) Debridement and antibacterial meds

B) Debridement and 12% clorohexidine is the ans

C) antibiotics and something

233 traumatic bone cyst most ass w paget

fibrous dysplasia is the ans

florid osseous...

non

234 Most common crown to root fracture is on what tooth?

1- Mand molars

2-max molars

3-max ant, is the ans

4-mand ant

235 Prevalence of caries higher based on-

1-Socioeconomic status

2-urban

3-rural living

4-?

236 Gingivectomy is performed when?

- a. Pockets (if suprabony pocket, yes) is the ans
- b. Osseous defect (no, contraindicated)
- c. Recession
- d. (gingival hyperplasia/overgrowth was not an answer)

237 4 year old loss bilateral primary maxillary 1st molar, what kind of space maintainer:

- a) nance (if it is maxillary)
- B) lingual arch
- c) bilateral band and loop

238 if you want to do osseous correction ?

- A) partial flap
- B) circular flap
- C) full thickness flap is the ans

239 defect with mesial, distal and lingual missing is called

- A) 3 wall defect
- B) cul de sac
- c) hemiseptal is the ans

240 morphin binds with?

- A) enkalphin is the ans
- B) prostoglandin
- C) endorphin

241. how do u increase retention in short clinical crown?

- A) add proximal groove
- B) add facial groove is the ans
- D) add box

242. pt with MOD done 1 month ago, complained it hurt when he bits



A) polymerization shrinkage

B) leakage

c ) cracked tooth is the ans

243. the retentive arm in resting position should

a) touch 1/3 of the gingiva

B) passive and does not engage the tooth is the ans

244 Most important about root canal material (gutta percha) EXCEPT?

a. Opacity

b. Bactericidal

c. Ease to manage

d. Wall adaptation is the ans

e. Dimensional stability

245. which one has the best prognosis?

A)internal root resorption with perforation is the ans

B) external resorption

246. irreversible hydrocolloid can lose its dimensional shape even during 100% humidity due to

A) imbibition

B) syneresis is the ans

C) hydrophobicity

247. Lingual flange during impression affected by which muscle? Mylohyodeo

248. Metformin( glucophage) is used to treat diabetics

A- type I

B- type II is ans

249 Most important dimension that ensures the metal connector between abutment and pontic is sufficient (in 3-unit fpd bridge)?

1-cross section (idk if that makes sense)

2-buccal-lingual

3-occlusal-gingival is the ans

4-mesial-distal

250. Patient presents with blow to face and horizontal fracture of a previously endodontically treated molar. The fracture is 2mm from the anatomical crown. What should the dentist do?

- a. Treat root canal with Calcium Hydroxide
- b. Place temporary crown and revisit in 3 months
- c. Immobilize
- d. Ext ans

251 cause of allergic gingivitis

- a. flavoring in toothpaste is ans
- b. food coloring in foods
- c. Fluoride in toothpaste
- d. pollen

252 the most effective way to reduce pulp injury during tooth preparation is to minimize dehydration of dentin.

1- True is the ans

2- False

253 Rapid palatal expander is used for which of the following?

1- Crossbite is ans

2- Minimal class III

3- both

254. What do you do to camouflage class 2?

1- Ext max first premolar is the ans

2- Ext max second premolar

3- Both

255. Lesion with chronic inflammatory cells with epithelial lining and fibrous wall in an endo treated tooth?

Granuloma

Abcess

Cyst is the ans

256. Which burr is used to smoothen the prep?

Plain cut fissure bur is the ans

Dimond

257 . Which of the following cements should not be used with all ceramic restorations due to reports of ceramic fractures?

1. GIC

2. Resin luting cement

3. zinc phosphate cement

4. Resin modified GIC

258. You did a prep with high speed and diamond bur, tooth is sensitive, what is it about bur and handpiece that it caused sensitivity?

A) Desiccation

b) traumatized dentin, ans

c)Heat

259 What is the correct method of excavation of deep caries.

Long bur from periphery to the center,

large bur from center to periphery, ans

small bur from periphery to center,

small bur from center to the periphery

260 What age does the mandibular symphysis close: 6-9 months

261 Zinc eugenol good temp filling:

1-gives a good bacterial seal

2-high compressive strength

3-high tensile strength

4-good biological seal is the ans

262 Downssyndrome: trisomy 21, which is a description ? \*\*

small mandible

Mid Facial discrepancy is the ans

263 Pregnant gingivitis: \*\*

estrogen

estradiol

progesterone is the ans

No plaque in answer choices

264 survival of a graft depends? \*\*

A) on the CT of the recipient

B) granulation something ia the ANS

265. Indirect sympathomimetic drug?

Diphenyl

Amphetamine is the ans

266 Side effect of having TCA and epi HTN

Hypotension is the ans

hyperglycemia

hypoglycemia

265 Case q's about side effect of drug that cause altered taste sensation?

Cyclobenzaprine ans

calcium carbonate

266. Why is inorganic pyrophosphate in tooth paste:

prevent calcium ans

phosphate crystals

decrease number of bacteria growth

267 Diuresis(excessive urine production) after tx of angina w/ a glycoside ? b/c of increased blood flow caused increased blood flow to kidney look for it not sure of the right ans

268 Acromegaly not taken care of leads to : \*\*\*\*

Over growth of mandible

269.Community fluoride: 0.2% / week in underprivileged areas .true is the ans

270 T/F Best way to close 1.5 mm diastma, which way do you not do it? FULL crown ans is true

280. Why don't put posterior tooth on inclination of ramus? Denture ends before the incline? True

281 .Diatalized occlusion w/ uprght cental anterior and deep bite:

A. class II div II

b. Class II div I

282. Least associated w/ perio disease? Hypophosphatism, acrodynia true or false ans is true

283 Which one would you premedicate?

CHF w/ severe bowl disfxn,

recent MI is the ans

None

284 .Rct, getting post and core and crwon lenghteningin, why do crown lengthing:

feral effect group said this one not sure

adequate crown length

285.Best way to find out if the crown is going to seat: die space

286. Setting condylar inclination on articular using protrusive , what do with

the pin? Remove the pin

287. The percent of ppl in the US with fluorinated water?? Pretty sure this is 60%

288. The longest acting analgesic for a pt that got a impacted third molar extracted? Options were Apirin, Ibuprofin, Naproxen, Acetaminophen . I think is naproxen

289. How long you stabilize or splint a mandibular fracture without reduction? →4-6weeks

290. Best success for implant location- posterior? → anterior mandible

291. Space between implants- 3mm

292 . Methemoglobinemia is caused by? Prolicaine

293. Picture: Amalgam Tatoo

294. X-rays/pictures

- o Dentinogenesis imperfecta
- o Coronoid process
- o Ameloblastoma
- o AOT

295. palatal root appeared mesial to the MB root of a max first molar – where was the x-ray beam directed? MOVED MESIAL

296 virgin premolar with short crown is part of FPD abutment, what do you do? a) crown

297 . Which is associated w/ burning mouth? **candida** is the ans ,Melkerson Rosenthal

298 What is the best indicator for success of intra-pulpal anesthesia? backward pressure

299. What trimester is nitrous use contraindicated in? **First trimestor,**

300. . What is stridor characteristic of? Laryngospasm

301. Patient shows up with kid always bleeds, discomfort – leukemia

301 T/F Supragingival alone can eliminate 5mm subgin calc. Supragingival alone is sufficient for treatment it is both false I need check in dd.

302 Pt. allergic to penicillin and has prosthetic heart valve. What pre-med to give? 600 mg Clindamycin 1hr prior to dental tx

303 What type of attachment trying to exclude when place barrier after perio surgery? Long junctional epithelium

304 Which of the following is FALSE in regards to abuse of the elderly? It is grossly over-reported and exaggerated

- 305 Premolar infection most common in which space? Sublingual,
- 306 Ear pain which infection? mandibular molar
- 307 difference between primary & secondary trauma – pdl involve, bone support, mobility
- 308 when rpd continues to break? Occlusal trauma, poor design
- 309 least material used in fixed impressions: irreversible hydrocolloid
- 310 A patient comes in and you do a MOD composite. He comes in later complaining of pain, you remove occlusal composite replace and pain goes away. What was causing the pain? Polymerization shrinkage.
311. Dementia is long term memory or short term memory loss? Short term
- 312 Trigeminal neuralgia is NOT associated with a spontaneous dull ache
- 313 Trismus is usually caused by infection in what space? Masseteric
314. if a patient is taking chantix what else need to be included in his smoking quitting regimen
- 1) use nicotine patches
  - 2) zyban
  - 3) behavioural counselling is the ans
315. how do you identify root caries, 1) dark brown colour, 2) softness 3) roughness and cavitated
316. autism patient characteristic, 1) impaired motor coordination 2) repetitive behavior
- 317 Well controlled diabetics, what will you see
- A. More periodontal disease than non diabetic
  - B. Less periodontal disease than non diabetic
  - C. Same amount of periodontal disease than non diabetic is the ans
318. in tooth borne rpd major support for the prosthesis is provided by 1) denture bases, 2) occlusal rests
- 319 altered cast technique,,,, - 1) support, 2) retention
320. Large filler particles in composite increase the strength of hardness? true
- Large filler particles in composite increase polishability & finishing? False
- 321 Light ortho force cause?

a-replacement resorption

b-direct resorption IS THE ANS

c-indirect resorption

d-severe resorption

322.what type of cells seen in established gingivitis? Plasma cell

323 Pt is evaluated after perio therapy,what would u check?

a-attachment loss

b-pocket depth

c-bleeding on probing ( bleeding = inflammation )

324 Loosening and premature loss of deciduous teeth seen in early stage of - hyperphosphatasia - hypophosphatasia IS THE ANS

- psuodophosphatasia

- vit d resistant rickets

vit d deficient rickets

325 Patient complains of pain due to oral mucositis after radiotherapy, the pain is best treated with:

a. Nystatin

b. Benzyl hydrochloride IS THE ANS

c. Topical corticosteroid d. Morphine

326. In constructing upper complete denture against lower natural dentition .when we do the occlusal adjustment? after constructing study cast and treatment plan \*\*\*\*\*

327. Three weeks after insertion of FPD marked discomfort to heat and cold occurs there are no other symptoms the most likely cause is: ? deflective occlusal contact

328. which study does not tell association between cause and effect : clinical trial, Descriptive study was not an option.

329. RPD - Clasp functions, what affects flexibility - Yield Strength, elongation S sound Clicking sound of teeth .... the cause is : insuffiecent freeway space

330 indirect retainer function : movement of Denture away from tissue, it its not proper. Major connector - stability and rigidity



331 FPD - Margins of crown not fitting properly : look for proximal contacts,

332 Patient complaining of pain after a day and cold sensitivity - Occlusal contacts high

333 In class V amalgam preparation for an incipient lesion, the ideal internal form of the preparation has which of the following features?

- a. Axial wall is flat
- b. Mesial and distal walls converge
- c. Occlusal and gingival walls converge
- d. Axial wall is uniformly deep into dentin FILE SAID THIS IS THE ANS I NEED TO CHECK

334. in preparing a class I cavity for dental amalgam, the dentist will diverge the mesial and distal walls toward the occlusal surface. This divergence serve to

- a. Prevent undermining of marginal ridges IS THE ANS
- b. Provide convenience form
- c. Resist the forces of mastication
- d. Extend the preparation into areas more readily cleansed.

335. **Which of the following has the best prognosis for t/t?**

- a. Tooth with external apical root resorption
- b. Tooth with external lateral root resorption
- c. Tooth with vertical root fracture that extends through the floor of pulp chamber
- d. Avulsed tooth that was replanted within one hour
- e. **Tooth with a small area of internal resorption**

336. **Which is the least way to treat furcation type 2 involvement ?** GTR, Hemi-section, **extraction**

337 **which bur is used to converge axial wall of the crown, No. 169**

338 cause and effect is not seen in ? u need to clarify this ans file said b \*\*\*\*\*

cohort

cross sectional is the ans check in mosby

clinical trial

339 thiazides is associated with which ion supplement?? sodium ,chlorine **potassium** ,calcium

340. What kind of cement to use to cement a ceramic onlay?? Glass ionomer, **resin cement**, zinc phosphate, RMGI

341 While viewing a working length radiograph of #5, you discover another root on the mesial shot (x-ray cone mesial). The second root seems to be distal on the mesial shot. Which anatomic root is it?

- a. Palatal
- b. Distal
- c. Buccal is the ans
- d. Mesial

342. For a resin-retained FPD (Maryland Bridge) everything is necessary EXCEPT:

- Wrap around proximal
- o Draw(path of withdrawal)
- o Occlusal rest
- o Chamfer
- o Bevel is the ans

mayo 17

Day-2

Diabetes pt what is preferred -FPD or RPD

Palate with swelling and histological feature like pseudostatified columnar epithelium and no effect on underlining cortical bone what is that pleomorphic or exostosis?

Case of HTN take medication lisinopril what happen orthostatic hypotension

Aspirin 81mg - needs to stop during extraction if root tip and its easy to extract ?

Pt taking HTn drug, aspirin, amitriplin for what u need to consult physician?

Good canine, restored lateral and need rpd for pm and molars on canine one side and molars on lateral side. What you do not need and is no need to correct canine because it's not carious.

Case of 5 lower incisors and all have PFM and not good periodontal health. Ask what you have to prescribe? Mouthwash without alcohol, flossing daily? Or another mouthwash that prevents hypo-salivation.

Amyotrophic lateral sclerosis causes hyposalivation.

Picture of vermilion border damage on lower lip. And lesion >10mm requires incisional biopsy.

One picture is like tori and all questions ask on white lesion. I don't know.

Some questions like what to do with this tooth what is the treatment and options are root, post and core and cementation and that tooth is absent in xray.

I have 2-3 questions like that that I can't find anything in xray.

Read post and core I mean looking like what it's thick, thin, long, short, normal size. Require 2-3mm gutta-percha under that.

Read which medication causes xerostomia.

I took it yesterday/today may be important question.

-Amalgam rest fail why?

-About 10 different questions of Acetaminophen, favorite for pediatric patients.

-RPD questions were about clasps, retention, stabilizing, balance they used different terms for each...in RPD what is contraindicated with the clasp? Big amalgam, PFM or Composite rest.

-Complete denture had horizontal dimensions can cause overlap of teeth, a lot of vertical dimensions can cause all except??

-oral pathologies were in different places FOM, angle of the Mandible, max torus,

-read all the syndromes that can cause supernumerary teeth all.

-pharmacology I had like 100 questions between corticosteroids, pain killers, xerostomia Medicines and contra, lithium as Medicine for psychotic patient like 20 questions about lithium so read about it.

-Medications can cause osteonecrosis on the max arch majority.

-Tylenol 3 about 20 questions of indication or contra.

-implants and tooth distance 1,2 or 3 mm?

-torque handpiece for implants.

- restorative was mainly amalgam and heat damage to the tooth
- no osha
- no FDA
- different type of studies majority cohort, cross secc
- flaps designs for gingivectomy?
- tons of wear deseases can cause blue stain on your teeth,
- couple of incision biopsy qs
- a lot of qs for perio ask about initial treatment for the patient? So read carefully some said final treatment
- most of the time the initial treatment was SRP or medical history or prophylaxis it depends you have to read it first,
- corticosteroids can cause osteoporosis? Arthritis?
- TMJ nerve affected by arthritis??
- treatment for hair loss I had no clue about those meds
- everything is changed the sentences an words so have to figure it out using academic languages.

Day 2

Very easy

- 3 CD cases
- 3 Ortho cases pedo
- 3 RPD cases
- 1 immunodeficiency pt

Everything was treatment plan and contraindicated tx

**More recently 04/9/17**

1. What first ? They give sequence like bleaching, 1-2week , cavity preparation composite
2. retention resistance form for Gold
3. Pain like pulpalgia and its after extraction options are like trigeminal neuralgia, pulpal pain. Pulpal neuralgia and one more...
4. Which resorption seen in primary tooth- options are external, internal, replacement, inflammatory
5. read Fluoride chart of which age need how much F .. they asking how much NaF need in i think 3 yrs of age so F and i think add .5 for Sodium
6. GIC bond chemical
7. Amalgam failure - cavity preparation
8. Systemic desensitization - exposure
9. When microleakage in amalgam - 2 to 3 week after
10. New restoration - aphthous ulcer
11. Which one is not reason of post operative sensitivity- cusp deformation, gap from microbes, gap leakage and mov of fluid
12. Which one is not topical delivery technique in perio- CHz, doxy gel, metro gel, minocycline powder
13. Zoe good seal
14. Linear radiopaque or lucent?
15. 45 yrs female only stain on pit and fissure- observe
16. Damage apically and not respond to EPT ? Blood supply interrupted, nerve transmission stop?
17. Suppuration present and tooth asymptomatic, necrotic pulp or verticle root fracture?
18. +ve rack angle in files or reamers
19. Child tooth best reliable test- percussion, cold, heat , ept
20. Necessary for a test to be accurate- validity
21. Transperent dentin - remineralize or not
22. Critical yrs for fluorosis
23. Highest F- tooth paste, varnish, water,
24. Which is not cause xerostomia- opioid

25. Shrinkage due to creep or c factor high
26. Conical caries- smooth surface
27. Middle reduction for porcelain veneer 0.5
28. Ideal biological width after crown lengthening - 2mm interproximal, 3mm, 1mm all aspect, 3mm all
29. Overhang due to improper mateix or improper wedge
30. Why more color stability in light cure ? Tegma, PmMA, more nitrite
31. Must read RPD with basics
32. Cone wax technique- putting in sequence
33. Apical biopsy - granuloma
34. Depends on pt posture- VdR
35. Class 3 Kennedy no require indirect retainer
36. For flexibility which clasp use- cast alloy, wroght wire, basemetal
37. Amentadin for parkinsons
38. Palatel tori when should remove - between hard and soft palate, middle of palate, interfere with pps
39. Must read erosion, abfraction and attrition cause and treatment
40. Cross section of mandi incisors- oval
41. Require tray adhesion- c-sillicon
42. Phosphate bonded temprature- above 1100c
43. Upper part of capsule which fibers- capsular or discal
44. Must read value , chrome, hue ask basics
45. If pt had difficulty in s,ch what is the problem
46. Major connector - rigidity, support, stability, retention
47. Vasoconstrictor- cocaine
48. Pic of geographic tongue on lateral view of tongue
49. Pano of ear lob

50. Something is on relation between MAO and epinephrin
51. Gout - probencide
52. Read antagonist physiologic and competative
53. Less plaque in which dz
54. Must read implant distances
55. Salio in submandi and warthons duct
56. Establish stage- plasma
57. Must read qns back from pm section in mosby
58. Erythromycin and theophyline not given together cause toxicity in COPD
59. Which one is schedule 2- pentobarbital.

Recenty rqs 4-11-17

These are remembering questions. Day 2 it depends on how much clinic knowledge you know and memorizeing the side effects of the drug associated with different diseases.

Thiazides if it works for or with K, Cl, Ca, Na....don't know that answer but I answered K

After making the crown the lab didn't reduce the lingual cusp the mandible start to deviate to the left side!! What interferences or cusps caused this movement!

3- lower pm which forceps is used 151

4- convergence =bur#

5- pictures of Periapical Cemento-Osseous dysplasia a

6- nutrients canals pic

7- maxillary process

8- smoke cessation drugs and there side effects

10- questions that was describinung all the characteristics of Geographic tongue

11- Bacteria in healthy mouth

12-Which type of interleukin is most common after periodontal disease—IL-1  
(B-blocker) with epinephrine is best described by synergism or increases the effects of epi so risk for Hypertension and bradycardia

15-200) Working side interferences

16- patients start to have bazaar disorientation what do you give him? I can't remember the choices

17- CDC

18- downcoding

19- 72 year old woman who has Alzheimer's is having a gingivitis and the husband and the husband is the one who is taken care of her, she needs an instruction about her oral hygiene: I answered the Doctor should go with oral hygiene instructions with her husband

20-patient swallowed a crown which position- Trendblerg

21- medications used for all types of epileptic. Diazepam, Phenytoin, carbamazepine

22-Ferrule effect – Important for crown lengthening

24-Classical symptom of asthma is

Wheezing on expiration

25-Alveolar osteitis, what do you do? - Dressing with sedative

26-when should the child start to speak clearly

27-overlapping = fix the horizontal angulation

More rqs 4/14/16

1.Side effect of corticosteroids -osteoporosis

2. 2.Main cause of Alveolar osteitis (another name of Dry Socket) -dislodged clot or fibrinolysis ,

3. 3.how morphine cause nausea ? 1.5-2.5-year child is more prone to injuries because. a. Due to accidental prone. b. Overprotective parent. c. Abuse. d. No fully coordinated development – No fully coordinated development



4. 4. Minimum distance between 2 implants – 3mm
5. 5. Most important when selecting shade? value, translucency, chroma, hue? – Value
6. Well controlled diabetic patient has the same periodontal status as non diabetic
7. 7. Gardner's syndrome. Gorlin syndrome ,
8. 8. Probing depth is 5 and prob pass 2 mm apical from CNJ how much is the attachment loss
9. Aspirin is contraindicated-asthma patient
10. Patient is taking propranolol and you give epi and BP rises -why , and which receptor responsible for that--A1,A2,B1,B2
11. Best test for patient with warfarin. INR, PT time
12. Which is the antibiotic prophylaxis for patients with allergic to penicillin – Clindamycin 600mg
13. What has decreased over time in adults- edentulism
14. Referred pain to ears- mandibular molars
15. Heart rate of 4 year old child -110,130, 70
16. If tooth is not responsive to cold next step that u should do- extraction , root canal, nothing , pulp test
17. Drug to treat dry mouth – pilocarpine
18. Patient is asthmatic and has ADHA and takes B2 agonist and amphetamine which drug causes his insomnia and bad appetite ?
19. Which drug does not cause gingival hyperplasia -digoxin
20. Which structure is damaged during free gingival flap surgery taken from palate .
21. The mesiobuccal incline on the mesiobuccal cusp of mandibular molar (with stainless steel crown) has wear this is because of movement in which direction(s) 1. working 2.non-working 3.protrusive 4. Retrusive – 1 and 3 is the answer
22. Pyogenic granuloma pic
23. Xray tip of the nose
24. Calcified structure xray behind mand ramus from options I put calcification in parotid
25. If doctor treats without cancer

26. To increase the patient's VDO by 4mm-- the dentist should make new records of CR –
27. established stage of gin. --plasma cell
28. What causes plasma cell gingivitis? - flavoring in toothpaste - Cinnamon gingivitis
29. Class 3 on central incisor composite extends to facial. Pt concerned about esthetics. Heavy marginal discoloration
30. What do you do when you use calcium hydroxide for pulp capping? -- add glass ionomer liner after CaOH<sub>2</sub>
31. The reason of high pressure in pregnant women
32. Premolar has apical infection and it will spread into – I put sublingual
33. Most hematoma after what injection -I put posterior superior stridor
34. After IAN block patient gets infection of which space -I put pterygoid ,options was masseter , submandibular ,
35. What may lead to osteonecrosis of bone after radiation therapy? – 1) thicken calculi canal 2) weak bone 3) damaged blood supply; - 3. Xray mucocel in max sinus .
36. Pt has ulcer with inflamed gingiva, histologic exam shows detached epithelial from basement membrane – BMMP (benign mucous membrane pemphigus
37. Q What is the most common primary occlusion, and what primary occlusion will be class ii in permanent occlusion -distal step
38. Very short clinical crown, you prep for a metal crown and it is lacking facio-lingual resistance. You would do --I put proximal and buccal groove Pic. Of hyperkeratosis
39. Which of the following statements is true regarding the radiographic appearance of furcation Involvements-- Bone loss is greater than it appears on a radiograph.
40. Hep.b surface antibody -not carrier
41. A lot of translucency on pontic's gingival 3rd what is the reason- wrong shade selection or wrong metal thickness Modified pontic ,
42. Qs about Working and non working ,
43. Dentinogenesis i.
44. ,corticosteroids .
45. ,biphos . .

46. Qs about indirect retainer`
47. Sam Notes :
48. Local anesthetics simple cal
49. Ccf features : dyspnea pedal edema
50. Implant contra . – no option of severe disease but something like age , sex , bone nature
51. Anxiety def by frued and ericsson
52. Variance def
53. Preloading of implant whats the major concern
54. When is palatal tori indicated for surgical removal
55. Pt with renal insufficiency what alteration should you do to digoxin dosage increase or decrease
56. Lip cancer survival rate \
57. Coefficient of thermal expansion best way to get retention on short crowns
58. Pt wit gag needs to take x ray ? management
59. Occlusion qs simple
60. Bone drilling tem for implant ; 29, 36, 57 , 70
61. Resistance and retention form def
62. What anesthetize the posterior soft palate
63. Mucocele formed by
64. 4mm sinus opening to sinus after extraction no option of suture
65. Got 2-3 qa regarding calcification of perm den
66. Preeclampsia
67. Syphilis – most infective stage
68. 8 mo old preg extracted two teeth which med you give
69. Zygomatic process – x ray identification
70. Smokers palate picture

71. Got 2-3 questions about antibiotic prophylaxis new guidelines day 2
72. Osha –know osha well
73. What are all included and not included in informed consent
74. Pt is on propranolol and epi given what happens
75. Dentist changed shade of teeth what happens
76. Nsaids – action on platelets
77. What causes super imposition on x rays
78. Indirect retainer , rest , position
79. Taken the cast impression and you want to increase the vd by 4mm what to do
80. Question on osha something abt prevent spread of infection of disease in employees
81. What will do some tooth mobility prior to periodontal surgery
82. Leukoplakia tongue pic
83. Clinical trial test dentinogenesis imperfecta x ray
84. Folic acid intake in pat for ?
85. Conta on no – some weird options
86. All forms of pulpal disease know all about them
87. Abscess can be released from perio pocket or not
88. Fetid odor ? hyperglycemia
89. Drugs for neurogenic and maniac disorders
90. Intrusion in 3 year old what to do
91. Concussion in child what to do
92. Pat, asks abot sterilization what did you say
93. Altered cast
94. Le fort 2
95. Diag of periodontitis

96. Bio width know location
97. Distal ext rpd
98. Rigid connectors
99. Leukoderma



Surgery in a pt undergoing dialysis 3 times per week should be done  
1 day after

atrophy of adrenal cortex is seen in pt taking  
suppressed if taking  
1) 20mg of cortisol 2 week for 2 years

A person drinking 1 litre of water containing 1 ppm fluoride gets how many grams of fluoride  
1gm

Which is not related to toxicity of LA

vasoconstrictor effect of epinephrine in LA can be overcome by  
alpha antagonists and non selective beta agonists