

Pediatrics: Best of 5 ___ answers only will be displayed

- 1/ All the following associated with complement activation except ___ \uparrow C3
- 2/ all true about benign Rolandic Epilepsy except ___ represent 10 to 15% of epilepsy
- 3/ all true about Kawasaki disease except ___ if treatment started 2-3 days have a good prognosis
- 4/ child with Down syndrome has diarrhea & O/E has distended abd. & empty rectum..
Which the next step of treatment ___ Barium enema
- 5/ all the following diseases associated with sudden death except ___ ASD
- 6/ activated charcoal use in treatment of ___ Aspirin
- 7/ Nephroblastoma associated with the following except ___ Tyrosinaemia
- 8/ child with URTI & has jaundice which of the following is correct ___ Low blood glucose
- 9/ Human milk to cow milk ___ Calcium \uparrow
- 10/ which of the following is true about Rett syndrome ___ occur in girls
- 11/ in treatment of Anaphylactic shock patient received 2 doses of Adrenaline & still hypotensive next step is ___ Adrenaline infusion..
- 12/ Metabolic acidosis with normal anion gap found in ___ Renal tubular acidosis .
- 13/ Defect in B lymphocytes present with ___ recurrent URTIs
- 14/ the following is true about folic acid ___ absorption \downarrow in celiac disease
- 15/ common type of congenital adrenal hyperplasia ___ 21-hydroxylase deficiency
- 16/ phenylketonuria associated with ___ blue lens & fair hair
- 17/ the following diseases associated with mental regression except ___ Down syndrome
- 18/ plethoric lung found in ___ transposition of great vessels & truncus arteriosus & Eisenmenger syndrome
- 19/ all true about innocent murmur except ___ maximum intensity at the apex

20/ acute cerebellar ataxia associated with the following except ___ Vit D deficiency

21/ Bronchopulmonary dysplasia treated ___ Oxygen

22/ the following drug associated with gingival hyperplasia ___ phenytoin

23/periventricular leukomalacia associated with which type of CP ___ Diplegic paraplegia

24/ serum alpha fetoprotein increase in the following except ___ Down syndrome

25/The following support diagnosis of pyelonephritis in the children except (fever-loin pain- asymptomatic bacteriuria) the answer is ___ none of the above

26/ Following support diagnoses of Rheumatic fever ___ poly arthritis

Medicine : _____ MCQs

1/Atrial myxoma _____ benign tumor ..have constitutional symptoms..mimic mitral stenosis

2/ medullary thyroid cancer

3/ cause of pulmonary hypertension

4/pyloric stenosis its effect in urea ..hyperkalemia..renal function

5/anti hypertension

6/ phenytoin

7/ DM (known DM with DKA which is cause).

8/signs of thyrotoxicosis..ataxia ,unilateral exophthalmos

9/increase s.level of iron

10/increase bone density in Xray

Surgery....MCQs

- 1/posterior mass on lateral view of CXR could be..thymoma... granuloma of TB...abscess...lymphoma
- 2/ca lung
- 3/70s Indian pt under go oesophageal gastrectomy which the investigation its needed preoperativly
...ECG excerses ...CXR...HIV screening ...RFT...scikle cell trial
- 4/Pt under go bone marrow trasplant (his investigation pre operatively)
- 5/ vocal cord nodules
- 6/ keloid &it mangment
- 7/ varicose vien
- 8/ femoral hernia
- 9/ dermatoms c6
- 10/ limb schemia & amputation

Obse&gyne ____ MCQs

- 1/ polycystic overy &it effect on hormone
- 2/ HRT
- 3/ premature menepose
- 4/ pre eclampsia
- 5/post partum colapse with out opevious bleeding .
- 6/UTI with pregnancy symptoms..sign ...&investigation
- 7/ drug with pregnancy
- 8/APH

9\ senior primigravida complication

10\ 16 week pregnant with 4 gm proteinuria investigation

Therapeutic_____

Antidot in oxford medicichne

Clinical pharmacology in phellipa

1/cardiovascular

2/ drug with G6PD

3/drug with pregnancy

4/ enzyme inducer &inhibiter

5/ anti epyliptic drug

6\ antibiotic use

Folic acid